

University of Nevada, Las Vegas Computer Science 456/656 Fall 2021

Assignment 2. Due 11:59 PM Wednesday September 8, 2021


Name: _____

You are permitted to work in groups, get help from others, read books, and use the internet. Post your answers on Canvas as instructed by the graduate assistant, Mr. Singh, by 11:59 PM on the due date.


In each case, the identical problem is in both fifth and sixth editions of your textbook.

1. Write a regular expression for the language consisting of all strings over $\{a, b\}$ which contain the substring aaa .

2. Find a regular expression equivalent to the following NFA.



3. The following DFA accepts the language consisting of all binary numerals for positive multiples of three, where a leading 0 is allowed. Find an equivalent regular expression.



4. State the pumping lemma for regular languages.

5. True or False. T = true, F = false, and O = open, meaning that the answer is not known science at this time. In the questions below, \mathcal{P} and \mathcal{NP} denote \mathcal{P} -TIME and \mathcal{NP} -TIME, respectively.
- (a) _____ Every language generated by an unambiguous context-free grammar is accepted by some DPDA.
 - (b) _____ Let L be the language over $\{a, b, c\}$ consisting of all strings which have more a 's than b 's and more b 's than c 's. There is some PDA that accepts L .
 - (c) _____ The language $\{a^n b^n \mid n \geq 0\}$ is context-free.
 - (d) _____ The language $\{a^n b^n c^n \mid n \geq 0\}$ is context-free.
 - (e) _____ The language $\{a^i b^j c^k \mid j = i + k\}$ is context-free.
 - (f) _____ The intersection of any two regular languages is regular.
 - (g) _____ If L is a context-free language over an alphabet with just one symbol, then L is regular.
 - (h) _____ The set of strings that your high school algebra teacher would accept as legitimate expressions is a context-free language.
 - (i) _____ The problem of whether a given string is generated by a given context-free grammar is decidable.