

Computer Science 302 Spring 2018 (Practice for) Final Examination, May 9, 2018

Name: _____

The entire practice examination is 880 points.

1. True or False. [5 points each]

- (a) ----- The time to heapsort an array of n items is $O(n \log n)$.
- (b) ----- Open hashing uses open addressing.
- (c) ----- In the decision tree model of computation, the time complexity of any algorithm to sort n items is $\Omega(n \log n)$.
- (d) ----- The height of a binary tree with n nodes is $O(\log n)$.
- (e) ----- A binary search tree is commonly used to represent unfulfilled obligations.
- (f) ----- An acyclic directed graph is always a tree.
- (g) ----- Quicksort takes $O(n \log n)$ average time to sort an array of n items if the pivots are picked at random.
- (h) ----- Given the choice between two algorithms, one of which takes $O(n)$ time and the other of which takes $O(n^2)$ time, is it *always* best to choose the one which takes $O(n)$ time?
- (i) ----- Computers are so fast nowadays that, as a practical matter, we should not worry about the time complexity of a program.

2. [10 points] What is the relationship between the number of vertices and the number of edges of a planar graph?
3. [10 points] The vertices of a directed graph G are in _____ order if x comes before y for every directed edge (x, y) of the graph. If there is such an order, G must be _____.
4. [10 points] Here is a recursive function for the n^{th} Fibonacci number for any positive integer n .

```
int fibonacci(int n)
// input condition: n > 0
{
    if(n <= 2)
        return 1;
    else
        return fibonacci(n-2)+fibonacci(n-1);
}
```

Is this function correct? Would it be a good idea to use it? Why not?

5. [10 points] A connected acyclic graph of n vertices has _____edges.
6. [10 points] What search structure should you use if the average number of items that will be in the structure at any given time is two?
7. [5 points] The items in a _____typically represent unfulfilled obligations.
8. [10 points] The two operators of the ADT *array* are _____and _____.
9. [10 points each] For each of the following code fragments, assume that a positive integer n is given. State the asymptotic time complexity in terms of n , using Θ notation if possible.
 - (a) `for (int i = 0; i < n; i++)`
 `cout << "Hi there.";`
 - (b) `for (int i = 0; i < n; i = 2*i+1)`
 `cout << "Hi there.";`
 - (c) `for (int i = 0; i < n; i++)`
 `for (int j = i; j > 0; j = j/2)`
 `cout << "Hi there.";`
 - (d) `for (int i = 0; i < n; i++)`
 `for (int j = n; j > i/2; j = j/2)`
 `cout << "Hi there.";`
 - (e) `for (int i = 0; i < n; i = i*i+1)`
 `cout << "Hi there.";`
 - (f) `for (int i = 0; i*i < n; i++)`
 `cout << "Hi there.";`
 - (g) `for (int i = 0; i*i < n; i++)`
 `for (int j = 0; j < i; j++)`
 `cout << "Hi there.";`
10. [30 points]
 - (a) In hashing, what do we mean by a “collision”?
 - (b) How are collisions handled in closed hashing?
 - (c) How are collisions handled in open hashing?
11. [10 points] What implementation of the ADT search structure would you use if n items are to be inserted at once at the beginning of the program, there will be no further inserts, and find will be executed n^2 times during the running of the program? (There is more than one correct answer to this problem, as well as several inferior answers.)

12. [20 points] Walk through the steps of the stack algorithm used to evaluate the following postfix expression, showing the stack at each step: (Hint: there will be approximately 9 illustrations of the stack.)

5 6 + 3 * 2 3 * -

13. [20 points] Find an optimal prefix code for the alphabet $\{A, B, C, D, E, F, G, H\}$, if the frequencies of the symbols are as given in the following table:

<i>A</i>	35
<i>B</i>	7
<i>C</i>	32
<i>D</i>	5
<i>E</i>	16
<i>F</i>	4
<i>G</i>	11
<i>H</i>	5

14. [30 points] The *Partition* step of Quicksort has a loop invariant. Give that loop invariant, and illustrate its meaning by drawing a figure, or figures.

15. [30 points] Describe each of the following types of search. (Be sure to say what the structure is that is being searched in each case.)

(a) Linear search.

(b) Binary search.

16. [20 points] The following is an array implementation of a stack of floats. Finish the function which pushes a new float onto the stack.

```
struct stack
{
    float item[100];
    int top;
}

void push(stack*mystack,float newitem)
{
    assert(top <    ); // what constant goes here?

}
```

17. [10 points] We have an assert statement in the push function in problem 16 above because C++ does not have bounds checking. What should we write as the argument of that assertion?

18. [20 points] Given the following implementation of a binary tree, complete the recursive function which writes the items of a tree in postorder.

```
struct treenode
{
    int item;
    treenode*left;
    treenode*right;
};

void postordervisit(treenode*root)
// uses recursion
{
    if(root)
    {

    }

}
```

19. [20 points] Given the following linked list implementation of a stack, complete the function which implements pop.

```
struct stacknode
{
    float item;
    stacknode*link;
};

float pop(stacknode*&mystack)
{
    assert(mystack);
}
```

20. [10 points] What is the purpose of the assertion in the function in problem 19 above?
21. [10 points] Suppose you are writing a dynamic programming algorithm to find the minimum weight path between a given source vertex S and a given target vertex T in a weighted directed acyclic graph G .
- (a) Describe the subproblems.
 - (b) In what order would you work the subproblems?

22. True or False. [5 points each]
- (a) ----- Quicksort takes $O(n \log n)$ expected time to sort an array of n items, provided randomization is used to pick the pivot items.
 - (b) ----- The height of a binary tree with n nodes is $\Omega(\log n)$.
23. [10 points] What implementation of the ADT search structure would you use if n items are to be inserted at once at the beginning of the program, there will be no further inserts, and find will be executed n^2 times during the running of the program? (There is more than one correct answer to this problem, as well as several inferior answers.)
24. [30 points] Describe each of the following types of search. (Be sure to say what the structure is that is being searched in each case.)
- (a) Breadth first search.
 - (b) Depth first search.
25. [40 points]
- (a) What is the ADT “search structure”? Give three examples.
 - (b) What is the ADT “priority queue”? Give three examples.
26. [20 points] Explain “cuckoo hashing.”
27. [10 points] Binary tree sort is actually another way to implement which one of the following three standard sorting algorithms?
- (a) Quicksort
 - (b) Heapsort
 - (c) Mergesort
28. [10 points] Heapsort is actually a fast way to implement which one of the following three quadratic time sorting algorithms?
- (a) Bubblesort
 - (b) Insertion sort
 - (c) Selection sort
29. [20 points] Write C++ code for the **find** portion of union-find. Be sure to use path compression. Do not include any other part of the program. If you write more than 10 lines, you’ve written far too much.

30. [10 points each] For each of the following code fragments, express the asymptotic time complexity by choosing the best of the following answers: $\Theta(n)$, $\Theta(n^2)$, $\Theta(n \log n)$, $\Theta(\log n)$, $\Theta(\log \log n)$.
- (a)

```
for (int i = 0; i < n; i++)
    cout << "Hi there.";
```
 - (b)

```
for (int i = 0; i < n; i = 2*i+1)
    cout << "Hi there.";
```
 - (c)

```
for (int i = 0; i < n; i++)
    for (int j = i; j > 0; j = j/2);
    cout << "Hi there.";
```
 - (d)


```
for (int i = 0; i < n; i++)
    for (int j = i; j > i/2; j = j/2);
    cout << "Hi there.";
```
 - (e)

```
for (int i = 0; i < n; i = i*i+1)
    cout << "Hi there.";
```
31. [30 points]
- (a) Describe the meaning of the word *collision* as used in discussions of hashing.
 - (b) How are collisions handled in closed hashing?
 - (c) How are collisions handled in open hashing?
32. [10 points] What implementation of the ADT search structure would you use if n items are to be inserted at once at the beginning of the program, there will be no further inserts, and find will be executed n^2 times during the running of the program? (There is more than one correct answer to this problem, as well as several inferior answers.)
33. [20 points] Explain how you would implement a sparse array using a search structure. Do **not** give any details whatsoever about the search structure itself, since that's not the point of this question.
34. [20 points] Explain how you would insert and delete from a queue, given that you are using singly linked nodes in a circular linked list implementation. Draw pictures.
35. [30 points] Use polyphase mergesort to sort the following list: FUNWITHPOLYPHASE Show all steps.
36. [30 points] A is a $4 \times 8 \times 5$ array and is stored in RAM in column major order, with base address 2048. Each entry of A is stored in two address locations of the RAM. Calculate the base address of $A[2][5][3]$ in RAM. As in C++, assume that the first value of each index of A is 0.

37. [30 points] Sort the following array using Heapsort, showing the array after each step. For your convenience, I have included a figure to make it easier for you to write those arrays. The number of rows in the figure below may or may not be equal to the number of steps; you might not use all the rows, or you might have to add more rows.

<i>A</i>	<i>L</i>	<i>G</i>	<i>O</i>	<i>R</i>	<i>I</i>	<i>T</i>	<i>H</i>	<i>M</i>

38. [20 points] Find a minimum spanning tree of the weighted graph shown below. You need not show work, just indicate by darkening edges.



39. [40 points] Write a complete C++ program that reads a file of integers, two integers on each line, and prints the sum of those integers. You may assume that the program is executed by typing
- ```
./a.out < infile > outfile.
```

40. [20 points] The loop invariant of the loop in the following function is  $x*y+z == n*m$ . What is the purpose of this function? How does the loop invariant allow us to prove correctness?

```
int product(int n, int m)
// input condition: m >= 0
{
 int x = n;
 int y = m;
 int z = 0;
 // Loop invariant: x*y + z == n*m holds here
 while (y > 0)
 {
 // Loop invariant holds here
 x = 2*x;
 // Loop invariant does not hold here
 if(y%2) z = z+x;
 // Loop invariant does not hold here
 y = y/2;
 // Loop invariant holds here
 }
 // Loop invariant holds here, which allows us to prove correctness
 return z;
}
```

41. [20 points] What is the purpose of the following function? What is the loop invariant?

```
float power(float n, int m)
// input condition: m >= 0
{
 float x = n;
 int y = m;
 float z = 1;
 // Loop invariant holds here
 while (y > 0)
 {
 // Loop invariant holds here
 x = x*x;
 if(y%2) z = z*x;
 y = y/2;
 // Loop invariant hold here
 }
 // Loop invariant holds here, which allows us to prove correctness
 return z;
}
```